American Journal of Physiology: Heart and Circulatory Physiology

No. 1. JANUARY 1999

EDITORIAL

A format for translational research
D. R. Harder H1

Differential depression of myocardial function and metabolism by lactate and H^+
M. Samaja, S. Allibardi, G. Milano, G. Neri, B. Grassi, L. B. Gladden, and M. C. Hogan H3

Positive force- and $[Ca^{2+}]_i$-frequency relationships in rat ventricular trabeculae at physiological frequencies
J. Layland and J. C. Kentish H9

Reduced NO enhances the central gain of cardiac sympathetic afferent reflex in dogs with heart failure
R. Ma, I. H. Zucker, and W. Wang H19

Postexercise hypotension is mediated by reductions in sympathetic nerve activity
J. M. Kulics, H. L. Collins, and S. E. DiCarlo H27

P2 purinoceptor-mediated dilations in the rat middle cerebral artery after ischemia-reperfusion
S. P. Marrelli, A. Khorovets, T. D. Johnson, W. F. Childres, and R. M. Bryan, Jr. H33

Superoxide anion scavengers restore NO-mediated pulmonary vasodilation after lung transplantation
S. Seki, N. A. Flavahan, N. G. Smedira, and P. A. Murray H42

Norepinephrine-stimulated MAP kinase activity enhances cytokine-induced NO production by rat cardiac myocytes
H. Kan, Z. Xie, and M. S. Finkel H47

Effect of angiotensin-converting enzyme inhibition on protein kinase C and SR proteins in heart failure
Y. Takeishi, A. Bhagwat, N. A. Ball, D. L. Kirkpatrick, M. Periasamy, and R. A. Walsh H53

Ouabain- and central sodium-induced hypertension depend on the ventral anteroventral third ventricle region
S. J. Veerasingham and F. H. H. Leenen H63

Adaptation to hypoxia alters energy metabolism in rat heart
W. L. Rumsey, B. Abbott, D. Bertelsen, M. Mallamaci, K. Hagan, D. Nelson, and M. Erecinska H71

Total arterial inertance as the fourth element of the windkessel model
N. Stergiopulos, B. E. Westerhof, and N. Westerhof H81

SERCA1a can functionally substitute for SERCA2a in the heart
Y. Ji, E. Loukianov, T. Loukianova, L. R. Jones, and M. Periasamy H89

Transmembrane I_{Ca} contributes to rate-dependent changes of action potentials in human ventricular myocytes
G.-R. Li, B. Yang, J. Feng, R. F. Bosch, M. Carrier, and S. Nattel H98

Influence of arteriovenular pairing on PAF-induced capillary filtration
N. R. Harris, G. A. Morgan First, and R. D. Specian H107

Effects of sympathetic nerve stimulation on membrane potential, $[Ca^{2+}]_i$, and force in the toad sinus venosus
N. J. Bramich and H. M. Cousins H115

Lumped constant for deoxyglucose is decreased when myocardial glucose uptake is enhanced
K. Hashimoto, T. Nishimura, K.-I. Imahashi, H. Yamaguchi, M. Hori, and H. Kusuoka H129

CK inhibition accelerates transcytosolic energy signaling during rapid workload steps in isolated rabbit hearts
G. J. Harrison, M. H. van Wijhe, B. de Groot, F. J. Dijk, and J. H. G. M. van Beek H134

Suppression of β-adrenergic responsiveness of L-type Ca^{2+} current by IL-1β in rat ventricular myocytes
S. J. Liu, W. Zhou, and R. H. Kennedy H141

PUFA and aging modulate cardiac mitochondrial membrane lipid composition and Ca^{2+} activation of PDH
S. Pepe, N. Tsuchiya, E. G. Lakatta, and R. G. Hansford H149

Endothelial defect mediates attenuated vasorelaxant response to isoproterenol after lung transplantation
K. Yoshida, N. A. Flavahan, M. Horibe, N. G. Smedira, and P. A. Murray H159

Metallothionein-overexpressing neonatal mouse cardiomyocytes are resistant to H_2O_2 toxicity
G.-W. Wang, D. A. Schuschke, and Y. J. Kang H167

Inhibition of baroreflex vagal bradycardia by nasal stimulation in rats
M. Kobayashi, Z. B. Cheng, and S. Nosaka H176

Role of tyrosine phosphorylation in the regulation of cerebral vascular tone in newborn pig in vivo
H. Parfenova, A. Fedinec, and C. W. Leffler H185

Mechanism of prejunctional muscarinic receptor-mediated inhibition of neurogenic vasodilation in cerebral arteries
J. Liu and T. J. F. Lee H194

Effect of isoprenaline, carbachol, and Cs^+ on Na^+ activity and pacemaker potential in rabbit SA node cells
H. S. Choi, D. Y. Wang, D. Noble, and C. O. Lee H205

Low-frequency component of the heart rate variability spectrum: a poor marker of sympathetic activity
M. S. Houle and G. E. Billman H215

Induction of 72-kDa heat shock protein does not produce second window of ischemic preconditioning in rat heart
Y.-Z. Qian, N. L. Bernardo, M. A. Nayeem, J. Chelliah, and R. C. Kukreja H224

Influence of glutathione peroxidase on coronary artery responses to alterations in Po_2 and H_2O_2
K. M. Mohazzab-H., R. Agarwal, and M. S. Wolin H235

GABAergic effects on the depressor responses elicited by stimulation of central nucleus of the amygdala
J. Ciriello and S. Roder H242

Blood pressure and heart rate in the ovine fetus: ontogenic changes and effects of fetal adrenalectomy
N. Unno, C. H. Wong, S. L. Jenkins, R. A. Wentworth, X.-Y. Ding, C. Li, S. S. Robertson, W. P. Smotherman, and P. W. Nathanielsz H248

Structured tree outflow condition for blood flow in larger systemic arteries
M. S. Olufsen H257

Cardiac electrical restitution properties and stability of reentrant spiral waves: a simulation study
Z. Qu, J. N. Weiss, and A. Garfinkel H269

Pregnancy and steroid hormones enhance the vasodilation responses to CGRP in rats
P. R. R. Gangula, H. Zhao, S. Supowit, S. Wimalawansa, D. DiPette, and C. Yallampalli H284

Modulation of Ca^{2+} transient decay by tension and Ca^{2+} removal in hyperthyroid myocardium
T. Ishikawa, H. Kajiwara, and S. Kurihara H289

Mechanism of Ca^{2+} release and entry during contraction elicited by norepinephrine in rat resistance arteries
G. J. L. Lagaud, V. Randriamboavonjy, G. Roul, J. C. Stoclet, and R. Andriantsitohaina H300

The heart extrasystole: an energetic approach
F. D. Marengo, M. T. Márquez, P. Bonazzola, and J. E. Ponce-Hornos H309

Changes in cardiac ANG II postmyocardial infarction in rats: effects of nephrectomy and ACE inhibitors
F. H. H. Leenen, V. Skarda, B. Yuan, and R. White H317

SPECIAL COMMUNICATION

New simple methods for isolating baroreceptor regions of carotid sinus and aortic depressor nerves in rats
T. Sato, T. Kawada, H. Miyano, T. Shishido, M. Inagaki, R. Yoshimura, T. Tatewaki, M. Sugimachi, J. Alexander, Jr., and K. Sunagawa H326

RAPID COMMUNICATION

Leakage responses to L-NAME differ with the fluorescent dye used to label albumin
R. E. Rumbaut, N. R. Harris, A. J. Sial, V. H. Huxley, and D. N. Granger H333

No. 2. FEBRUARY 1999

Adenosine A_1 receptor-mediated antiadrenergic effects are modulated by A_{2a} receptor activation in rat heart
G. R. Norton, A. J. Woodiwiss, R. J. McGinn, M. Lorbar, E. S. Chung, T. W. Honeyman, R. A. Fenton, J. G. Dobson, Jr., and T. E. Meyer H341

Hypertrophic response to hemodynamic overload: role of load vs. renin-angiotensin system activation
M. Koide, B. A. Carabello, C. C. Conrad, J. M. Buckley, G. DeFreyte, M. Barnes, R. J. Tomanek, C.-C. Wei, L. J. Dell'Italia, G. Cooper IV, and M. R. Zile H350

Vasoconstrictor effect of endothelin-1 in human skin: role of ET_A and ET_B receptors
J. E. Lipa, P. C. Neligan, T. M. Perreault, J. Baribeau, R. H. Levine, R. J. Knowlton, and C. Y. Pang H359

An adenosine agonist and preconditioning shift the distribution of myocardial blood flow in conscious pigs
C.-H. Huang, S.-J. Kim, B. Ghaleb, R. K. Kudej, Y.-T. Shen, S. P. Bishop, and S. F. Vatner H368

Metabolism of cAMP to adenosine: role in vasodilation of rat pial artery in response to hypotension
K. W. Hong, H. K. Shin, H. H. Kim, J. M. Choi, B. Y. Rhim, and W. S. Lee H376

Endothelium-independent vascular relaxation mediating ET_B receptor in rabbit mesenteric arteries
T. Iwasaki, M. Notoya, Y. Hayasaki-Kajiwara, T. Shimamura, N. Naya, M. Ninomiya, and M. Nakajima H383

Electrical interactions among real cardiac cells and cell models in a linear strand
M. B. Wagner, T. Namiki, R. Wilders, R. W. Joyner, H. J. Jongsma, E. E. Verheijck, R. Kumar, D. A. Golod, W. N. Goolsby, and A. C. G. van Ginneken H391

Rostral dorsolateral pontine neurons with sympathetic nerve-related activity
S. M. Barman, G. L. Gebber, and H. Kitchens H401

Dispersion-based reentry: mechanism of initiation of ventricular tachycardia in isolated rabbit hearts
E. Robert, A. G. M. Aya, J. E. de La Coussaye, P. Péray, J.-M. Juan, J. Brugada, J.-M. Davy, and J.-J. Eledjam H413

Use of pulse pressure method for estimating total arterial compliance in vivo
N. Stergiopulos, P. Segers, and N. Westerhof H424

Synchrotron microangiography reveals configurational changes and to-and-fro flow in intramyocardial vessels
H. Mori, E. Tanaka, K. Hyodo, M. U. Mohammed, T. Sekka, K. Ito, Y. Shinozaki, A. Tanaka, H. Nakazawa, S. Abe, S. Handa, M. Kubota, K. Tanioka, K. Umetani, and M. Ando H429

Arterial O_2 content and tension in regulation of cardiac output and leg blood flow during exercise in humans
R. C. Roach, M. D. Koskolou, J. A. L. Calbet, and B. Saltin H438

A canine model of chronic ischemic cardiomyopathy: characterization of regional flow-function relations
S. Firoozan, K. Wei, A. Linka, D. Skyba, N. C. Goodman, and S. Kaul H446

Preserved hypocapnic pial arteriolar constriction during hyperammonemia by glutamine synthetase inhibition
T. Hirata, T. Kawaguchi, S. W. Brusilow, R. J. Traystman, and R. C. Koehler H456

Influence of chronic ethanol consumption on arterial tone in young and aged rats
M. Kähönen, K. Karjala, N. Hutri-Kähönen, X. Wu, P. Jaatinen, P. Riihioja, A. Hervonen, and I. Pörsti H464

Surgical procedure affects physiological parameters in rat myocardial ischemia: need for mechanical ventilation
G. Horstick, O. Berg, A. Heimann, H. Darius, H. A. Lehr, S. Bhakdi, O. Kempski, and J. Meyer H472

Possible obligatory functions of cyclic nucleotides in hypercapnia-induced cerebral vasodilation in adult rats
Q. Wang, J. Bryowsky, R. D. Minshall, and D. A. Pelligrino H480

Adenosine-induced activation of ATP-sensitive K^+ channels in excised membrane patches is mediated by PKC
K. Hu, G.-R. Li, and S. Nattel H488

Reversal of permeability transition during recovery of hearts from ischemia and its enhancement by pyruvate
P. M. Kerr, M.-S. Suleiman, and A. P. Halestrap H496

Cytochrome *P*-450 ω-hydroxylase senses O_2 in hamster muscle, but not cheek pouch epithelium, microcirculation
J. H. Lombard, M. P. Kunert, R. J. Roman, J. R. Falck, D. R. Harder, and W. F. Jackson H503

Electrical and mechanical responses of rat middle cerebral arteries to reduced P_{O_2} and prostacyclin
J. H. Lombard, Y. Liu, K. T. Fredricks, D. M. Bizub, R. J. Roman, and N. J. Rusch H509

In vivo effects of hydrostatic pressure on interstitium of abdominal wall muscle
E. R. Zakaria, J. Lofthouse, and M. F. Flessner H517

Human endothelial cells produce orosomucoid, an important component of the capillary barrier
J. Sörensson, G. L. Matejka, M. Ohlson, and B. Haraldsson H530

Role of phospholipase C, protein kinase C, and calcium in VEGF-induced venular hyperpermeability
H. M. Wu, Y. Yuan, D. C. Zawieja, J. Tinsley, and H. J. Granger H535

Early activation of transcription factor NF-κB during ischemia in perfused rat heart
C. Li, W. Browder, and R. L. Kao H543

Microvascular responses to hemodilution with Hb vesicles as red blood cell substitutes: influence of O_2 affinity
H. Sakai, A. G. Tsai, R. J. Rohlfs, H. Hara, S. Takeoka, E. Tsuchida, and M. Intaglietta H553

Changes in resistance vessels during hemorrhagic shock and resuscitation in conscious hamster model
H. Sakai, H. Hara, A. G. Tsai, E. Tsuchida, P. C. Johnson, and M. Intaglietta H563

Modulation of repolarization in rabbit Purkinje and ventricular myocytes coupled by a variable resistance
D. J. Huelsing, K. W. Spitzer, J. M. Cordeiro, and A. E. Pollard H572

Disparate effects of three types of extracellular acidosis on left ventricular function
D. S. Berger, S. K. Fellner, K. A. Robinson, K. Vlasica, I. E. Godoy, and S. G. Shroff H582

Laminar fiber architecture and three-dimensional systolic mechanics in canine ventricular myocardium
K. D. Costa, Y. Takayama, A. D. McCulloch, and J. W. Covell H595

β-Adrenergic modulation of L-type Ca^{2+}-channel currents in early-stage embryonic mouse heart
W. Liu, K. Yasui, A. Arai, K. Kamiya, J. Cheng, I. Kodama, and J. Toyama H608

Extracellular signal-regulated kinases 1 and 2 activation in endothelial cells exposed to cyclic strain
M. Ikeda, T. Takei, I. Mills, H. Kito, and B. E. Sumpio H614

Ca^{2+}-independent inhibition of myocardial contraction by coronary effluent of hypoxic rat hearts
Z.-K. Yang, N. J. Draper, and A. M. Shah H623

Endocardial endothelium mediates luminal ACh-NO signaling in isolated frog heart
A. Gattuso, R. Mazza, D. Pellegrino, and B. Tota H633

Protein kinase C translocation and PKC-dependent protein phosphorylation during myocardial ischemia
C. J. Albert and D. A. Ford H642

Modulation of arterial Na^+-K^+-ATPase-induced $[Ca^{2+}]_i$ reduction and relaxation by norepinephrine, ET-1, and PMA
F. Pérez-Vizcaíno, A. Cogolludo, and J. Tamargo H651

Effect of estrogen on aortic function in postmenopausal women
C. Stefanadis, E. Tsiamis, J. Dernellis, and P. Toutouzas H658

Relative contribution of vasodilator prostanoids and NO to metabolic vasodilation in the human forearm
S. J. Duffy, G. New, B. T. Tran, R. W. Harper, and I. T. Meredith H663

Nonstressed rat model of acute endotoxemia that unmasks the endotoxin-induced TNF-α response
D. W. A. Beno and R. E. Kimura H671

Exercise-induced expression of angiogenesis-related transcription and growth factors in human skeletal muscle
T. Gustafsson, A. Puntschart, L. Kaijser, E. Jansson, and C. J. Sundberg H679

Downward gradient in action potential duration along conduction path in and around the sinoatrial node
M. R. Boyett, H. Honjo, M. Yamamoto, M. R. Nikmaram, R. Niwa and I. Kodama H686

Maintained upregulation of pulmonary eNOS gene and protein expression during recovery from chronic hypoxia
T. C. Resta, L. G. Chicoine, J. L. Omdahl, and B. R. Walker H699

Subcellular localization of the Na^+/H^+ exchanger NHE1 in rat myocardium
K. Petrecca, R. Atanasiu, S. Grinstein, J. Orlowski, and A. Shrier H709

Intracellular gradients of O_2 supply to mitochondria in actively respiring single cardiomyocyte of rats
E. Takahashi, H. Endoh, and K. Doi H718

Central Fos expression in fetal and adult sheep after intraperitoneal hypertonic saline
A. Caston-Balderrama, M. J. M. Nijland, T. J. McDonald, and M. G. Ross H725

Cadherin-5 redistribution at sites of TNF-α and IFN-γ-induced permeability in mesenteric venules
R. K. Wong, A. L. Baldwin, and R. L. Heimark H736

Orally administered NHE1 inhibitor cariporide reduces acute responses to coronary occlusion and reperfusion
R. A. Humphreys, J. V. Haist, S. Chakrabarti, Q. Feng, J. M. O. Arnold, and M. Karmazyn H749

SPECIAL COMMUNICATION

Real-time measurement of cardiac vagal tone in conscious dogs
C. J. L. Little, P. O. O. Julu, S. Hansen, and S. W. J. Reid H758

RAPID COMMUNICATIONS

Presence of hemoglobin inside aortic endothelial cells after cell-free hemoglobin administration in guinea pigs
B. Faivre-Fiorina, A. Caron, C. Fassot, I. Fries, P. Menu, P. Labrude, and C. Vigneron H766

Blood yield stress in systemic sclerosis
C. Picart, P. H. Carpentier, H. Galliard, and J.-M. Piau H771

No. 3. MARCH 1999

Phospholamban-to-SERCA2 ratio controls the force-frequency relationship
M. Meyer, W. F. Bluhm, H. He, S. R. Post, F. J. Giordano, W. Y. W. Lew, and W. H. Dillmann H779

Proapoptotic effects of ANG II in human coronary artery endothelial cells: role of AT_1 receptor and PKC activation
D. Li, B. Yang, M. I. Philips, and J. L. Mehta H786

Regional differences in effects of E-4031 within the sinoatrial node
I. Kodama, M. R. Boyett, M. R. Nikmaram, M. Yamamoto, H. Honjo, and R. Niwa H793

TAFII250, Egr-1, and D-type cyclin expression in mice and neonatal rat cardiomyocytes treated with doxorubicin
N. Saadane, L. Alpert, and L. E. Chalifour H803

Inhibition of NO synthesis or endothelium removal reveals a vasoconstrictor effect of insulin on isolated arterioles
C. A. Schroeder, Jr., Y.-L. Chen, and E. J. Messina H815

Normal pregnancy is associated with enhanced endothelium-dependent flow-mediated vasodilation
I. Dørup, K. Skajaa, and K. E. Sørensen H821

α_1-Adrenergic stimulation of FGF-2 promoter in cardiac myocytes and in adult transgenic mouse hearts
K. A. Detillieux, J. T. A. Meij, E. Kardami, and P. A. Cattini H826

Effects of β_2-adrenergic stimulation on single-channel gating of rat cardiac L-type Ca^{2+} channels
F. Schröder and S. Herzig H834

Heart rate and behavior of fur seals: implications for measurement of field energetics
I. L. Boyd, R. M. Bevan, A. J. Woakes, and P. J. Butler H844

Neutrophils sense flow-generated stress and direct their migration through $\alpha_V\beta_3$-integrin
G. E. Rainger, C. D. Buckley, D. L. Simmons, and G. B. Nash H858

Cyclosporin A treatment alters characteristics of Ca^{2+}-release channel in cardiac sarcoplasmic reticulum
K. S. Park, T. K. Kim, and D. H. Kim H865

Effects of AT_1-receptor blockade after myocardial infarct on myocardial fibrosis, stiffness, and contractility
H. M. Thai, H. T. Van, M. A. Gaballa, S. Goldman, and T. E. Raya H873

Mapping propagation of mechanical activation in the paced heart with MRI tagging
B. T. Wyman, W. C. Hunter, F. W. Prinzen, and E. R. McVeigh H881

Myocardial creatine kinase kinetics in hearts with postinfarction left ventricular remodeling
Y. Murakami, J. Zhang, M. H. J. Eijgelshoven, W. Chen, W. C. Carlyle, Y. Zhang, G. Gong, and R. J. Bache H892

Constitutive expression of interleukin-1α precursor promotes human vascular smooth muscle cell proliferation
D. Beasley and A. L. Cooper H901

Peripheral muscle ergoreceptors and ventilatory response during exercise recovery in heart failure
N. Francis, A. Cohen-Solal, and D. Logeart H913

Nitric oxide mediates sympathetic vasoconstriction at supraspinal, spinal, and synaptic levels
N. Iida H918

Estrogen increases Ca^{2+} efflux from female porcine coronary arterial smooth muscle
Y. S. Prakash, A. A. Togaibayeva, M. S. Kannan, V. M. Miller, L. A. Fitzpatrick, and G. C. Sieck H926

Formation of 4-hydroxy-2-nonenal-modified proteins in ischemic rat heart
P. Eaton, J.-M. Li, D. J. Hearse, and M. J. Shattock H935

5-HT_{2B}-receptor antagonist LY-272015 is antihypertensive in DOCA-salt-hypertensive rats
S. W. Watts and G. D. Fink H944

Modulation of AV nodal and Hisian conduction by changes in extracellular space
K. G. Lurie, A. Sugiyama, S. McKnite, P. Coffeen, K. Hashimoto, and S. Motomura H953

Gender differences in coronary artery diameter reflect changes in both endothelial Ca^{2+} and ecNOS activity
H. J. Knot, K. M. Lounsbury, J. E. Brayden, and M. T. Nelson H961

Hypotension induced by exercise is associated with enhanced release of adenyl purines from aged rat artery
M. Hashimoto, K. Shinozuka, Y. Tanabe, S. Gamoh, T. Hara, M. S. Hossain, Y. M. Kwon, M. Kunitomo, and S. Masumura H970

Epidermal growth factor: a potent vasoconstrictor in experimental hypertension
J. A. Florian and S. W. Watts H976

Role of nitric oxide-derived oxidants in vascular injury from carbon monoxide in the rat
S. R. Thom, D. Fisher, Y. A. Xu, S. Garner, and H. Ischiropoulos H984

Metallothionein inhibits ischemia-reperfusion injury in mouse heart
Y. J. Kang, G. Li, and J. T. Saari H993

Regulation of energy consumption in cardiac muscle: analysis of isometric contractions
A. Landesberg and S. Sideman H998

Conducted signals within arteriolar networks initiated by bioactive amino acids
M. D. S. Frame H1012

Maintenance of blood pressure in normotensive dogs by endothelin
K. Münter, H. Ehmke, and M. Kirchengast H1022

Endothelin antagonists block α_1-adrenergic constriction of coronary arterioles
D. V. DeFily, Y. Nishikawa, and W. M. Chilian H1028

Interstitial Ca^{2+} undergoes dynamic changes sufficient to stimulate nerve-dependent Ca^{2+}-induced relaxation
M. M. Mupanomunda, N. Ishioka, and R. D. Bukoski H1035

Inhibition of copper/zinc superoxide dismutase impairs NO·-mediated endothelium-dependent relaxations
C. O. Wambi-Kiéssé and Z. S. Katusic H1043

Coronary vasodilator effects of BNP: mechanisms of action in coronary conductance and resistance arteries
C. Zellner, A. A. Protter, E. Ko, M. R. Pothireddy, T. DeMarco, S. J. Hutchison, T. M. Chou, K. Chatterjee, and K. Sudhir H1049

Flow regulation of ecNOS and Cu/Zn SOD mRNA expression in porcine coronary arterioles
C. R. Woodman, J. M. Muller, J. W. E. Rush, M. H. Laughlin, and E. M. Price H1058

Contribution of L-type Ca^{2+} current to electrical activity in sinoatrial nodal myocytes of rabbits
E. E. Verheijck, A. C. G. van Ginneken, R. Wilders, and L. N. Bouman H1064

SPECIAL COMMUNICATIONS

Aortic pressure-diameter relationship assessed by intravascular ultrasound: experimental validation in dogs
S. E. Hardt, A. Just, R. Bekeredjian, W. Kübler, H. R. Kirchheim, and H. F. Kuecherer H1078

A method for collecting right coronary venous blood samples from conscious dogs
X. Bian, B. J. Hart, A. G. Williams, Jr., and H. F. Downey H1086

RAPID COMMUNICATIONS

Chemotactic, mitogenic, and angiogenic actions of UTP on vascular endothelial cells
C. M. Satterwhite, A. M. Farrelly, and M. E. Bradley H1091

Acute exercise can improve cardioprotection without increasing heat shock protein content
R. P. Taylor, M. B. Harris, and J. W. Starnes H1098

Nicotine-modified postinfarction left ventricular remodeling
F. J. Villarreal, D. Hong, and J. Omens H1103

Charybdotoxin and apamin block EDHF in rat mesenteric artery if selectively applied to the endothelium
J. M. Doughty, F. Plane, and P. D. Langton H1107

EDITORIAL

Adenosine receptor subtypes in the heart: therapeutic opportunities and challenges
J. A. Auchampach and R. Bolli H1113

No. 4. APRIL 1999

Beneficial effect of myocardial angiogenesis on cardiac remodeling process by amlodipine and MCI-154
H. Kumamoto, H. Okamoto, M. Watanabe, H. Onozuka, K. Yoneya, I. Nakagawa, S. Chiba, S. Watanabe, T. Mikami, K. Abe, and A. Kitabatake H1117

Coronary microvascular protection with Mg^{2+}: effects on intracellular calcium regulation and vascular function
N. Matsuda, M. Tofukuji, K. G. Morgan, and F. W. Sellke H1124

Effects of hindlimb suspension on cytosolic Ca^{2+} and [^{3}H]ryanodine binding in cardiac myocytes
G. Halet, P. Viard, J.-L. Morel, J. Mironneau, and C. Mironneau H1131

Betamethasone-mediated vascular dysfunction and changes in hematological profile in the ovine fetus
M. A. Anwar, M. Schwab, L. Poston, and P. W. Nathanielsz H1137

Distinct scavenger receptor expression and function in the human $CD14^+/CD16^+$ monocyte subset
G. Draude, P. von Hundelshausen, M. Frankenberger, H. W. L. Ziegler-Heitbrock, and C. Weber H1144

On the validity of blood flow measurement using colored microspheres
D. Hodeige, M. De Pauw, W. Eechaute, J. Weyne, and G. R. Heyndrickx H1150

Localization and quantitation of cardiac annexins II, V, and VI in hypertensive guinea pigs
P. Trouvé, S. Legot, I. Bélikova, F. Marotte, D. Bénévolensky, F. Russo-Marie, J.-L. Samuel, and D. Charlemagne H1159

Altered kinetics of contraction of mouse atrial myocytes expressing ventricular myosin regulatory light chain
S. H. Buck, P. J. Konyn, J. Palermo, J. Robbins, and R. L. Moss H1167

Phospholamban deficiency does not compromise exercise capacity
K. H. Desai, E. Schauble, W. Luo, E. Kranias, and D. Bernstein H1172

BAY K 8644 modifies Ca^{2+} cross signaling between DHP and ryanodine receptors in rat ventricular myocytes
S. Adachi-Akahane, L. Cleemann, and M. Morad H1178

Hemodilution, cerebral O_2 delivery, and cerebral blood flow: a study using hyperbaric oxygenation
Y. Tomiyama, K. Jansen, J. E. Brian, Jr., and M. M. Todd H1190

Expression of endothelin-1, ET_A and ET_B receptors, and ECE and distribution of endothelin-1 in failing rat heart
T. Kobayashi, T. Miyauchi, S. Sakai, M. Kobayashi, I. Yamaguchi, K. Goto, and Y. Sugishita H1197

Hypoxic contraction of small pulmonary arteries from normal and endotoxemic rats: fundamental role of NO
S. Terraz, F. Baechtold, D. Renard, A. Barsi, A. Rosselet, A. Gnaegi, L. Liaudet, R. Lazor, J.-A. Haefliger, N. Schaad, C. Perret, P. Kucera, M. Markert, and F. Feihl H1207

Arterial chemoreflex in conscious normotensive and hypertensive adult rats
L. F. Hayward, A. K. Johnson, and R. B. Felder H1215

C-peptide induces a concentration-dependent dilation of skeletal muscle arterioles only in presence of insulin
M. E. Jensen and E. J. Messina H1223

Importance of PKC and tyrosine kinase in single or multiple cycles of preconditioning in rat hearts
R. M. Fryer, J. E. J. Schultz, A. K. Hsu, and G. J. Gross H1229

Osmotic shock: modulation of contractile function, pH_i, and ischemic damage in perfused guinea pig heart
D. E. Befroy, T. Powell, G. K. Radda, and K. Clarke H1236

Sympathovagal balance is major determinant of short-term blood pressure variability in healthy subjects
T. Laitinen, J. Hartikainen, L. Niskanen, G. Geelen, and E. Länsimies H1245

Cortical NOS inhibition raises the lower limit of cerebral blood flow-arterial pressure autoregulation
S. C. Jones, C. R. Radinsky, A. J. Furlan, D. Chyatte, and A. D. Perez-Trepichio H1253

Two populations of sympathetic neurons project selectively to mesenteric artery or vein
K. N. Browning, Z. Zheng, D. L. Kreulen, and R. A. Travagli H1263

Sympathovagal balance: how should we measure it?
J. J. Goldberger H1273

Estradiol modulates vascular response to melatonin in rat caudal artery
S. Doolen, D. N. Krause, and S. P. Duckles H1281

Inhibition of phospholipase A_2 attenuates functional hyperemia in the hamster cremaster muscle
L. C. Nuttle, A. L. Ligon, K. R. Farrell, and R. L. Hester H1289

Heterogeneity of 4-aminopyridine-sensitive current in rabbit sinoatrial node cells
H. Honjo, M. Lei, M. R. Boyett, and I. Kodama H1295

Effect of NO on transmural distribution of blood flow in hypertrophied left ventricle during exercise
D. J. Duncker, J. H. Traverse, Y. Ishibashi, and R. J. Bache H1305

L- and T-type voltage-gated Ca^{2+} currents in adrenal medulla endothelial cells
R. Vinet and F. F. Vargas H1313

Delayed ischemic preconditioninr is mediated by opening of ATP-sensitive potassium channels in the rabbit heart
N. L. Bernardo, M. D'Angelo, S. Okubo, A. Joy, and R. C. Kukreja H1323

Phase-dependent heartbeat modulation by muscle contractions during dynamic handgrip in humans
K. Niizeki and Y. Miyamoto H1331

Oxygen-wasting effect of inotropy in the "virtual work model"
C. Korvald, O. P. Elvenes, L. M. Ytrebø, D. G. Sørlie, and T. Myrmel H1339

Impaired aerobic capacity in hypercholesterolemic mice: partial reversal by exercise training
J. Niebauer, A. J. Maxwell, P. S. Lin, P. S. Tsao, J. Kosek, D. Bernstein, and J. P. Cooke H1346

Physiological doses of estradiol decrease nocturnal blood pressure in normotensive postmenopausal women
A. Cagnacci, L. Rovati, A. Zanni, S. Malmusi, F. Facchinetti, and A. Volpe H1355

Ischemic preconditioning depends on interaction between mitochondrial K_{ATP} channels and actin cytoskeleton
C. P. Baines, G. S. Liu, M. Birincioglu, S. D. Critz, M. V. Cohen, and J. M. Downey H1361

COX-2 and cytosolic PLA_2 mediate IL-1β-induced cAMP production in human vascular smooth muscle cells
D. Beasley H1369

Linkage analysis of glucocorticoid and β_2-adrenergic receptor genes with blood pressure and body mass index
S. Takami, Z. Y. H. Wong, M. Stebbing, and S. B. Harrap H1379

Effects of AT_1-receptor blockade on progression of left ventricular dysfunction in dogs with heart failure
M. Tanimura, V. G. Sharov, H. Shimoyama, T. Mishima, T. B. Levine, S. Goldstein, and H. N. Sabbah H1385

Bradykinin-stimulated protein synthesis by myocytes is dependent on the MAP kinase pathway and $p70^{S6K}$
R. H. Ritchie, J. D. Marsh, and R. J. Schiebinger H1393

RAPID COMMUNICATION

Muscle metaboreflex improves O_2 delivery to ischemic active skeletal muscle
D. S. O'Leary, R. A. Augustyniak, E. J. Ansorge, and H. L. Collins H1399

EDITORIAL

The potential clinical impact of 20 years of nitric oxide research
R. A. Cohen H1404

No. 5. MAY 1999

AV3V lesions attenuate the cardiovascular responses produced by blood-borne excitatory amino acid analogs
E. J. Whalen, T. G. Beltz, S. J. Lewis, and A. K. Johnson H1409

Effect of Mg^{2+} on stress, myosin phosphorylation, and ATPase activity in detergent-skinned swine carotid media
X. Su, J. W. R. Pott, and R. S. Moreland H1416

Role of adenosine in local metabolic coronary vasodilation
T. Yada, K. N. Richmond, R. Van Bibber, K. Kroll, and E. O. Feigl H1425

Adenosine A_{2a}-receptor activation enhances cardiomyocyte shortening via Ca^{2+}-independent and -dependent mechanisms
A. J. Woodiwiss, T. W. Honeyman, R. A. Fenton, and J. G. Dobson, Jr. H1434

Angiotensin II exacerbates lipopolysaccharide-induced contractile depression in rabbit cardiac myocytes
S. Yasuda and W. Y. W. Lew H1442

NOS gene transfer inhibits expression of cell cycle regulatory molecules in vascular smooth muscle cells
R. V. Sharma, E. Tan, S. Fang, M. V. Gurjar, and R. C. Bhalla H1450

Cross bridge-dependent activation of contraction in cardiac myofibrils at low pH
D. R. Swartz, D. Zhang, and K. W. Yancey H1460

PKC-dependent activation of p44/p42 MAPKs during myocardial ischemia-reperfusion in conscious rabbits
P. Ping, J. Zhang, X. Cao, R. C. X. Li, D. Kong, X.-L. Tang, Y. Qiu, S. Manchikalapudi, J. A. Auchampach, R. G. Black, and R. Bolli H1468

Glutamatergic projection to RVLM mediates suppression of reflex bradycardia by parabrachial nucleus
W.-B. Len and J. Y. H. Chan H1482

TNF-α and IL-1α induce heme oxygenase-1 via protein kinase C, Ca^{2+}, and phospholipase A_2 in endothelial cells
C. M. Terry, J. A. Clikeman, J. R. Hoidal, and K. S. Callahan H1493

AMP deaminase in piglet cardiac myocytes: effect on nucleotide metabolism during ischemia
C. M. Hohl H1502

Aging-dependent depression in the kinetics of force development in rat skinned myocardium
D. P. Fitzsimons, J. R. Patel, and R. L. Moss H1511

Wortmannin inhibits insulin-stimulated activation of protein phosphatase 1 in rat cardiomyocytes
J. P. De Luca, A. K. Garnache, J. Rulfs, and T. B. Miller, Jr. H1520

Pentobarbital-sensitive EDHF comediates ACh-induced arteriolar dilation in the hamster microcirculation
C. de Wit, N. Esser, H.-A. Lehr, S.-S. Bolz, and U. Pohl H1527

Regulation of NO-elicited pulmonary artery relaxation and guanylate cyclase activation by NADH oxidase and SOD
S. A. Gupte, T. Rupawalla, K. M. Mohazzab-H., and M. S. Wolin H1535

Chronic activation of neurokinin-1 receptor induces pulmonary hypertension in rats
L.-W. Chen, C.-F. Chen, and Y.-L. Lai H1543

Activation of spinal opioid receptors contributes to hypotension after hemorrhage in conscious rats
K. K. Ang, R. J. McRitchie, J. B. Minson, I. J. Llewellyn-Smith, P. M. Pilowsky, J. P. Chalmers, and L. F. Arnolda H1552

Properties and expression of Ca^{2+}-activated K^+ channels in H9c2 cells derived from rat ventricle
W. Wang, M. Watanabe, T. Nakamura, Y. Kudo, and R. Ochi H1559

Myocardial ischemia-reperfusion injury is exacerbated in absence of endothelial cell nitric oxide synthase
S. P. Jones, W. G. Girod, A. J. Palazzo, D. N. Granger, M. B. Grisham, D. Jourd'heuil, P. L. Huang, and D. J. Lefer H1567

L-Arginine limits myocardial cell death secondary to hypoxia-reoxygenation by a cGMP-dependent mechanism
L. Agulló, D. García-Dorado, J. Inserte, A. Paniagua, P. Pyrhonen, J. Llevadot, and J. Soler-Soler H1574

Changes in intracellular Na^+ and pH in rat heart during ischemia: role of Na^+/H^+ exchanger
C.-O. Park, X.-H. Xiao, and D. G. Allen H1581

The effects of mannitol, albumin, and cardioplegia enhancers on 24-h rat heart preservation
G. Dunphy, H. W. Richter, M. Azodi, J. Weigand, F. Sadri, F. Sellke, and D. Ely H1591

Regional contributions of *Kv1.4*, *Kv4.2*, and *Kv4.3* to transient outward K^+ current in rat ventricle
A. D. Wickenden, T. J. Jegla, R. Kaprielian, and P. H. Backx H1599

Brain renin-angiotensin system and sympathetic hyperactivity in rats after myocardial infarction
W. Zhang, B. S. Huang, and F. H. H. Leenen H1608

Dynamics of tissue oxygenation in isolated rabbit heart as measured with near-infrared spectroscopy
B. de Groot, C. J. Zuurbier, and J. H. G. M. van Beek H1616

Ser^{16} prevails over Thr^{17} phospholamban phosphorylation in the β-adrenergic regulation of cardiac relaxation
M. Kuschel, P. Karczewski, P. Hempel, W.-P. Schlegel, E.-G. Krause, and S. Bartel H1625

Altered reflex control of cutaneous circulation by female sex steroids is independent of prostaglandins
N. Charkoudian and J. M. Johnson H1634

Carbon monoxide and cerebral microvascular tone in newborn pigs
C. W. Leffler, A. Nasjletti, C. Yu, R. A. Johnson, A. L. Fedinec, and N. Walker H1641

Ischemia-reperfusion induced microvascular responses in LDL-receptor −/− mice
N. Mori, Y. Horie, M. E. Gerritsen, and D. N. Granger H1647

Early response kinase and PI 3-kinase activation in adult cardiomyocytes and their role in hypertrophy
K.-D. Schlüter, A. Simm, M. Schäfer, G. Taimor, and H. M. Piper H1655

Effects of aminopeptidase P inhibition on kinin-mediated vasodepressor responses
S.-I. Kitamura, L. A. Carbini, W. H. Simmons, and A. G. Scicli H1664

Mechanical properties of mesenteric arteries in diabetic rats: consequences of outward remodeling
F. R. L. Crijns, B. H. R. Wolffenbuttel, J. G. R. De Mey, and H. A. J. Struijker Boudier H1672

Cellular and molecular remodeling in a heart failure model treated with the β-blocker carteolol
J. K. Gwathmey, C. S. Kim, R. J. Hajjar, F. Khan, T. G. DiSalvo, A. Matsumori, and M. R. Bristow H1678

Human sympathetic and vagal baroreflex responses to sequential nitroprusside and phenylephrine
L. Rudas, A. A. Crossman, C. A. Morillo, J. R. Halliwill, K. U. O. Tahvanainen, T. A. Kuusela, and D. L. Eckberg H1691

Mechanisms of desensitization tc a PDE inhibitor (milrinone) in conscious dogs with heart failure
N. Sato, K. Asai, S. Okumura, G. Takagi, R. P. Shannon, Y. Fujita-Yamaguchi, Y. Ishikawa, S. F. Vatner, and D. E. Vatner H1699

Changes in coronary endothelial cell Ca^{2+} concentration during shear stress- and agonist-induced vasodilation
J. M. Muller, M. J. Davis, L. Kuo, and W. M. Chilian H1706

Hypoperfusion-induced contractile failure does not require changes in cardiac energetics
K. W. Saupe, F. R. Eberli, J. S. Ingwall, and C. S. Apstein H1715

L-type Ca^{2+} current in guinea pig ventricular myocytes treated with modulators of tyrosine phosphorylation
T. Ogura, L. M. Shuba, and T. F. McDonald H1724

Comparison of putative cooperative mechanisms in cardiac muscle: length dependence and dynamic responses
J. J. Rice, R. L. Winslow, and W. C. Hunter H1734

Cardiac microvascular endothelial cells express α-smooth muscle actin and show low NOS III activity
H. Ando, T. Kubin, W. Schaper, and J. Schaper H1755

Bradykinin metabolism in the postinfarcted rat heart: role of ACE and neutral endopeptidase 24.11
R. Raut, J.-L. Rouleau, C. Blais, Jr., H. Gosselin, G. Molinaro, M. G. Sirois, Y. Lepage, P. Crine, and A. Adam H1769

An α-cardiac myosin heavy chain gene mutation impairs contraction and relaxation function of cardiac myocytes
S.-J. Kim, K. Iizuka, R. A Kelly, Y.-J. Geng, S. P. Bishop, G. Yang, A. Kudej, B. K. McConnell, C. E. Seidman, J. G. Seidman, and S. F. Vatner H1780

Effect of 17β-estradiol in hypercholesterolemic rabbits with severe endothelial dysfunction
C. A. do Nascimento, K. Kauser, and G. M. Rubanyi H1788

SPECIAL COMMUNICATIONS

Contamination of lymph from the major prenodal cardiac lymphatic in dogs
H. J. Geissler, K. L. Davis, G. A. Laine, M. L. Brennan, U. Mehlhorn, and S. J. Allen H1795

A new sample-processing unit for the fluorescent microsphere method
S. Raab, E. Thein, A. G. Harris, and K. Messmer H1801

EDITORIAL

To salt, or not to salt?
T. A. Kotchen H1807

No. 6. JUNE 1999

Cardiac myofibrillar and sarcoplasmic reticulum function are not depressed in insulin-resistant JCR:LA-*cp* rats
T. Misra, J. S. C. Gilchrist, J. C. Russell, and G. N. Pierce H1811

Active renin and angiotensinogen in cardiac interstitial fluid after myocardial infarction
A. T. Hirsch, J. A. Opsahl, M. M. Lunzer, and S. A. Katz H1818

Characterization of a newly found stretch-activated $K_{Ca,ATP}$ channel in cultured chick ventricular myocytes
T. Kawakubo, K. Naruse, T. Matsubara, N. Hotta, and M. Sokabe H1827

Systemic arterial compliance is reduced in young patients with IDDM
K. L. Berry, R. A. P. Skyrme-Jones, J. D. Cameron, R. C. O'Brien, and I. T. Meredith H1839

Adventitia-dependent relaxations of canine basilar arteries transduced with recombinant eNOS gene
M. Tsutsui, H. Onoue, Y. Iida, L. Smith, T. O'Brien, and Z. S. Katusic H1846

Molecular β-adrenergic signaling abnormalities in failing rabbit hearts after infarction
J. P. Maurice, A. S. Shah, A. P. Kypson, J. A. Hata, D. C. White, D. D. Glower, and W. J. Koch H1853

Peroxynitrite contributes to spontaneous loss of cardiac efficiency in isolated working rat hearts
P. Ferdinandy, D. Panas, and R. Schulz H1861

Cardioprotective effects of KB-R7943: a novel inhibitor of the reverse mode of Na^+/Ca^{2+} exchanger
Y. Ladilov, S. Haffner, C. Balser-Schäfer, H. Maxeiner, and H. M. Piper H1868

5-(*N*-ethylcarboxamido)adenosine desensitizes the A_{2b}-adenosine receptor in lung circulation
J. Haynes, Jr., B. Obiako, P. Babal, and T. Stevens H1877

Activation of visceral afferents by bradykinin and ischemia: independent roles of PKC and prostaglandins
Z.-L. Guo, J. D. Symons, and J. C. Longhurst H1884

ATP reduces macromolecule permeability of endothelial monolayers despite increasing $[Ca^{2+}]_i$
T. Noll, H. Hölschermann, K. Koprek, D. Gündüz, W. Haberbosch, H. Tillmanns, and H. M. Piper H1892

Activation of $GABA_A$ but not $GABA_B$ receptors in the NTS blocked bradycardia of chemoreflex in awake rats
J. C. Callera, L. G. H. Bonagamba, A. Nosjean, R. Laguzzi, and B. H. Machado H1902

Further evidence for the selective disruption of intercellular communication by heptanol
G. J. Christ, M. Spektor, P. R. Brink, and L. Barr H1911

Role of central AT_1 and V_1 receptors in cardiovascular adaptation to hemorrhage in SD and renin TGR rats
P. Paczwa, E. Szczepańska-Sadowska, S. Łoń, U. Ganten, and D. Ganten H1918

Activation of Akt/protein kinase B after stimulation with angiotensin II in vascular smooth muscle cells
T. Takahashi, T. Taniguchi, H. Konishi, U. Kikkawa, Y. Ishikawa, and M. Yokoyama H1927

Vasorelaxing effects of atrial and brain natriuretic peptides on coronary circulation in heart failure
T. Matsumoto, A. Wada, T. Tsutamoto, T. Omura, H. Yokohama, M. Ohnishi, I. Nakae, M. Takahashi, and M. Kinoshita H1935

Leukocyte-endothelial cell interactions in nitric oxide synthase-deficient mice
D. J. Lefer, S. P. Jones, W. G. Girod, A. Baines, M. B. Grisham, A. S. Cockrell, P. L. Huang, and R. Scalia H1943

Nitric oxide in the regulation of vasomotor tone in human skeletal muscle
G. Rådegran and B. Saltin H1951

Heat shock protein expression protects against cerebral ischemia and monoamine overload in rat heatstroke
Y.-L. Yang and M.-T. Lin H1961

Angiotensin II and mechanical stretch induce production of tumor necrosis factor in cardiac fibroblasts
T. Yokoyama, K. Sekiguchi, T. Tanaka, K. Tomaru, M. Arai, T. Suzuki, and R. Nagai H1968

Characterization of natriuretic peptide production by adult heart atria
T. Ogawa, M. Vatta, B. G. Bruneau, and A. J. de Bold H1977

Effect of sinoaortic denervation on frequency-domain estimates of baroreflex sensitivity in conscious cats
G. Mancia, G. Parati, P. Castiglioni, and M. Di Rienzo H1987

Regional ischemia increases sensitivity of left ventricular relaxation to volume in pigs
S. B. Solomon and S. A. Glantz H1994

Cardiovascular phenotype and temperature control in mice lacking thyroid hormone receptor-β or both α_1 and β
C. Johansson, S. Göthe, D. Forrest, B. Vennström, and P. Thorén H2006

Mechanical activity in heart regulates translation of α-myosin heavy chain mRNA but not its localization
G. Nikcevic, M. C. Heidkamp, M. Perhonen, and B. Russell H2013

Cationic amino acid transporter gene expression in cultured vascular smooth muscle cells and in rats
Y. Hattori, K. Kasai, and S. S. Gross H2020

Ischemic preconditioning and myocardial hypothermia in rabbits with prolonged coronary artery occlusion
S. L. Hale and R. A. Kloner H2029

Systemic and microcirculatory effects of autologous whole blood resuscitation in severe hemorrhagic shock
H. Kerger, K. F. Waschke, K. V. Ackern, A. G. Tsai, and M. Intaglietta H2035

Increases in oxygen tension stimulate expression of ICAM-1 and VCAM-1 on human endothelial cells
C. Willam, R. Schindler, U. Frei, and K.-U. Eckardt H2044

Brain O_2 consumption and glutamate release during hypoglycemic coma in piglets are temperature sensitive
R. N. Ichord, F. J. Northington, D. Van Wylen, M. V. Johnston, C. Kwon, and R. J. Traystman H2053

Effects of calcitonin gene-related peptide on vascular resistance in rats: role of sex steroids
M. Grewal, J. Cuevas, G. Chaudhuri, and L. Nathan H2063

NO modulates myocardial O_2 consumption in the nonhuman primate: an additional mechanism of action of amlodipine
P. R. Forfia, X. Zhang, D. R. Knight, A. H. Smith, C. P. A. Doe, E. A. Wolfgang, D. M. Flynn, M. S. Wolin, and T. H. Hintze H2069

Species-dependent hemodynamic effects of adenosine A_3-receptor agonists IB-MECA and Cl-IB-MECA
R. D. Lasley, P. Narayan, M. S. Jahania, E. L. Partin, K. R. Kraft, and R. M. Mentzer, Jr. H2076

Cannabinoid CB1 receptor of cat cerebral arterial muscle functions to inhibit L-type Ca^{2+} channel current
D. Gebremedhin, A. R. Lange, W. B. Campbell, C. J. Hillard, and D. R. Harder H2085

Lipoxygenase metabolism of arachidonic acid in ischemic preconditioning and PKC-induced protection in heart
W. Chen, W. Glasgow, E. Murphy, and C. Steenbergen H2094

End-systolic myocardial stiffness is a load-independent index of contractility in stage 24 chick embryonic heart
K. Tobita and B. B. Keller H2102

Participation of PI3K and atypical PKC in Na^+-K^+-pump stimulation by IGF-I in VSMC
D. Li, G. Sweeney, Q. Wang, and A. Klip H2109

Rapid tachyphylaxis to hemodynamic effects of PACAP-27 after inhibition of nitric oxide synthesis
E. J. Whalen, M. D. Travis, A. K. Johnson, and S. J. Lewis H2117

Naloxone reverses inhibitory effect of electroacupuncture on sympathetic cardiovascular reflex responses
D. M. Chao, L. L. Shen, S. Tjen-A-Looi, K. F. Pitsillides, P. Li, and J. C. Longhurst H2127

Enhanced DNA fragmentation in the thymus of spontaneously hypertensive rats
H. Suzuki, F. A. Delano, N. Jamshidi, D. Katz, M. Mori, K. Kosaki, R. A. Gottlieb, H. Ishii, and G. W. Schmid-Schönbein H2135

Differential regulation of cardiac expression of IL-6 and TNF-α by A_2- and A_3-adenosine receptors
D. R. Wagner, T. Kubota, V. J. Sanders, C. F. McTiernan, and A. M. Feldman H2141

Cardiac myosin heavy chains lacking the light chain binding domain cause hypertrophic cardiomyopathy in mice
R. E. Welikson, S. H. Buck, J. R. Patel, R. L. Moss, K. L. Vikstrom, S. M. Factor, S. Miyata, H. D. Weinberger, and L. A. Leinwand H2148

PDGF-A expression correlates with blood pressure and remodeling in 1K1C hypertensive rat arteries
A. Dobrian, S. S. Wade, and R. L. Prewitt H2159

CaM kinase augments cardiac L-type Ca^{2+} current: a cellular mechanism for long Q-T arrhythmias
Y. Wu, L. B. MacMillan, R. B. McNeill, R. J. Colbran, and M. E. Anderson H2168

Microvascular endothelial cells remodel cultured adult cardiomyocytes and increase their survival
T. Kubin, H. Ando, D. Scholz, P. Bramlage, S. Kostin, A. van Veen, A. Heling, S. Hein, S. Fischer, A. Breier, J. Schaper, and W. Schaper H2179

Greater erythrocyte deformability in world-class endurance athletes
J. A. Smith, D. T. Martin, R. D. Telford, and S. K. Ballas H2188

Plasma volume expansion with solutions of hemoglobin, albumin, and Ringer lactate in sheep
S. R. Fischer, M. Burnet, D. L. Traber, D. S. Prough, and G. C. Kramer H2194

Hemodynamic model for analysis of Doppler ultrasound indexes of umbilical blood flow
A. Kleiner-Assaf, A. J. Jaffa, and D. Elad H2204

Effect of amiloride analogs on DOCA-salt-induced hypertension in rats
R. F. Keep, X. Si, P. Shakui, S. R. Ennis, and A. L. Betz H2215

MODELING IN PHYSIOLOGY

Parasympathetic modulation of sinoatrial node pacemaker activity in rabbit heart: a unifying model
S. S. Demir, J. W. Clark, and W. R. Giles H2221

SPECIAL COMMUNICATIONS

Modulation of force-frequency relation by phospholamban in genetically engineered mice
V. J. Kadambi, N. Ball, E. G. Kranias, R. A. Walsh, and B. D. Hoit H2245

New analytic framework for understanding sympathetic baroreflex control of arterial pressure
T. Sato, T. Kawada, M. Inagaki, T. Shishido, H. Takaki, M. Sugimachi, and K. Sunagawa H2251

RAPID COMMUNICATION

Branching patterns of intramural coronary vessels determined by microangiography using synchrotron radiation
A. Tanaka, H. Mori, E. Tanaka, M. U. Mohammed, Y. Tanaka, T. Sekka, K. Ito, Y. Shinozaki, K. Hyodo, M. Ando, K. Umetani, K. Tanioka, M. Kubota, S. Abe, S. Handa, and H. Nakazawa H2262

EDITORIAL

Modulation of the adaptive response to myocardial ischemia by coexisting disease
J. R. Kersten and D. C. Warltier H2268

The Journal no longer publishes print subject and author indexes. Full searchability is available in the online version (**http://www.ajpheart.org**).